

YSI-150 SERIES



Input: 230V AC 50/60Hz
Output Voltage: 24V 4.16A 100W
Rated Power: 100W

Features


Universal AC input/ Full range
Energy efficiency level VI
Leakage Current: < 0.25mA
Extremely low leakage current
Protection:Over load/Over voltage/Short circuit
Withstand voltage : 3KV
Life Warranty: 3 years

Application

Industrial automation control
Communication equipment
Led Lighting
Industrial control equipment



■ Dimensions and Installation




YSI-150 SERIES


MODEL DETAIL SPEC.		YSI150-2404160		
INPUT	Input Voltage:	230VAC		
	Input Frequency:	50/60Hz		
	Inrush Current:	Cold start 45A. at 240VAC/50Hz,full load		
	AC Current:	0.2A/115VAC 0.21A/230VAC		
	Leakage Current:	< 0.25mA/240VAC		
	Efficiency:	80%		
OUTPUT	DC Voltage:	24V		
	Rated Current:	4.16A		
	Rated Power:	100W		
	Voltage Tolerance:	±5.0%		
	Ripple and Noise:	200mVp-p		
	Line Regulation:	±3%		
	Load Regulation:	±5%	±5%	±5%
	Setup, Rise, Hold Up time:	500ms, 30ms/120ms 230VAC 1000ms, 30ms/25ms 115VAC at full load		
ENVIRONMENTAL	Operating Temperature:	-20 ~ +60 (Refer to "Derating Curve")		
	Storage Temp:	-40°C ~ 85°C		
	Storage Humidity:	10 ~ 95% RH		
	Working Humidity:	20 ~ 95% RH non-condensing		
PROTECTION	Over Load:	Above 105% -135%rated output power		
		Protection type: Hiccup mode, recovers automatically after fault condition is removed		
	Over Voltage:	5V:5.75~ 6.75V 12V:13.8 ~ 16.2V 15V:17.25 ~ 20.25V 24V:27.6 ~ 32.4V		
Protection type: Shut down o/p voltage, re-power on to recover				
Over Temperature:	Shut down o/p voltage, re-power on to recover			
SAFETY & EMC	Safety Regulations:	EN62368		
	Withstand Voltage:	I/P-O/P:3KV AC I/P-FG:2KV AC O/P-FG:0.5KV AC		
	Isolation Resistance:	I/P-O/P, I/P-FG, O/P-FG:100M Ohms / 500VDC / 25°C/ 70% RH		
	EMC Emission:	Compliance to BS EN/EN55032 (CISPR32), BS EN/EN61204-3 Class B, BS EN/EN61000-3-2,-3, EAC TP TC 020, CNS13438 Class B		
	EMC Immunity:	EN55032		
OTHER	MTBF:	500Khrs min. MIL-HDBK-217F(25°C)		
	Size:	160*98*42mm		
	Weight:	410g / pcs		
	Packaging:	20PCS/CTN		

YSI-150 SERIES

Deduction curve and temperature



Minus output and input voltage curves



Functional Diagram

